


AF 488 carboxylic acid

<http://www.lumiprobe.com/p/af-488-carboxylic-acid>

AF 488 is a bright green-fluorescent dye that is commonly used in microscopy and cell assays because of its photostability. AF 488 can be used with [DAPI](#) and is well suited to multiplex assay. AF 488 has high quantum yield and stable fluorescence within the pH range from 4 to 10.

AF 488 carboxylic acid is a non-reactive AF 488 form that can be used as a reference standard in experiments where AF 488 conjugates are used. The carboxylic acid can be also used for the synthesis of activated esters [such as sulfo-NHS, TFP (2,3,5,6-tetrafluorophenol) and STP (4-sulfo-2,3,5,6-tetrafluorophenol)] or modified with hydrazines, hydroxylamines, or amines in aqueous solutions using water-soluble carbodiimides. Thus, this derivative can be conjugated to molecules that contain amino groups, such as proteins, antibodies, and peptides. Therefore, AF 488 carboxylic acid is used during solid-phase peptide synthesis for peptide modification *in situ* in the presence of activating agents such as HATU.



Structure of AF 488 carboxylic acid

General properties

Appearance:	orange crystals
Molecular weight:	648.75
Molecular formula:	C ₂₁ H ₁₁ K ₃ N ₂ O ₁₁ S ₂
IUPAC name:	4-(6-amino-3-iminio-4,5-disulfonato-3H-xanthen-9-yl)isophthalate
Solubility:	good in DMSO, DMF
Quality control:	NMR ¹ H, HPLC-MS (95%)
Storage conditions:	Storage: 12 months after receipt at -20°C in the dark. Transportation: at room temperature for up to 3 weeks. Avoid prolonged exposure to light.
Legal statement:	This Product is offered and sold for research purposes only. It has not been tested for safety and efficacy in food, drug, medical device, cosmetic, commercial or any other use. Supply does not express or imply authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, in the manufacture of food or pharmaceutical products, in medical devices or in cosmetic products.

Spectral properties

Excitation/absorption maximum, nm:	495
ε, L·mol ⁻¹ ·cm ⁻¹ :	71800
Emission maximum, nm:	519
Fluorescence quantum yield:	0.91

CF_{260} :	0.16
CF_{280} :	0.10