

Lumiprobe Corporation

115 Airport Dr Suite 160 Westminster, Maryland 21157

USA


Phone: +1 888 973 6353 Fax: +1 888 973 6354 Email: order@lumiprobe.com


BDP® 576/589 tetrazine

http://www.lumiprobe.com/p/bdp-576-589-tetrazine

Because of its relatively long excited-state lifetime (about 5 nanoseconds), BDP 576/589 dye can be used in various methods based on measuring fluorescence lifetime. Similarly to other dyes of the BDP family, BDP 576/589 has strong hydrophobic properties and is suitable for labeling non-polar and lypophilic biomolecules and their subsequent visualization by fluorescent microscopy, including two-photon microscopy.

This reagent is a tetrazine derivative that can be conjugated with various strained dienophiles such as *trans*-cyclooctenes and cyclopropenes. This reaction (TCO ligation) is considered to be one of the best bioconjugation reactions because it is very fast and selective in physiological conditions and does not require additional catalyzers, so it is not toxic *in vitro* and *in vivo*.





Structure of BDP 576/589 tetrazine

BDP 576/589 absorbance and emission spectra

General properties

Appearance: dark colored solid

Mass spec M+ increment: 501.16 Molecular weight: 529.17 Molecular formula: $C_{26}H_{23}N_8BF_2O$

Solubility: good in polar organic solvents

Quality control: NMR ¹H, HPLC-MS (95%)

Storage conditions: Storage: 24 months after receival at -20°C in the dark. Transportation: at room

temperature for up to 3 weeks. Avoid prolonged exposure to light. Desiccate.

Legal statement: This Product is offered and sold for research purposes only. It has not been tested for

safety and efficacy in food, drug, medical device, cosmetic, commercial or any other use. Supply does not express or imply authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, in the manufacture of food

or pharmaceutical products, in medical devices or in cosmetic products.

Spectral properties

Excitation/absorption maximum, nm: 580 ϵ , L·mol⁻¹·cm⁻¹: 98000 Emission maximum, nm: 592 Fluorescence quantum yield: 0.13 CF_{260} : 0.32

CF₂₈₀: 0.35

 $\mathsf{BDP}^{\$}$ — зарегистрированная торговая марка Lumiprobe