

## **Lumiprobe Corporation**

115 Airport Dr Suite 160 Westminster, Maryland 21157

**USA** 

Phone: +1 888 973 6353 Fax: +1 888 973 6354 Email: order@lumiprobe.com


## BDP® R6G azide

http://www.lumiprobe.com/p/bdp-r6g-azide


Borondipyrromethene (BDP) dyes are high performance flurophores that exhibit excellent photostability and brightness. A number of BDP dyes is available that are tuned to match excitation and emission channels of classical xanthene and cyanine dyes.

BDP R6G is matched to R6G dye excitation and emission wavelengths. The fluorophore is an excellent alternative to R6G for various applications, including microscopy, fluorescence polarization assays, and two photon experiments.

Azide functional group allows to conjugate the fluorophore easily with various biomolecules, small molecules, and polymers using CuAAC or spAAC Click chemistry reactions.



Structure of BODIPY R6G azide



Absorption and emission spectra of BDP R6G

## **General properties**

Appearance: dark colored solid

Molecular weight: 422.24

CAS number: 2183473-23-4 Molecular formula:  $C_{21}H_{21}N_6BF_2O$ 

IUPAC name: 3-(3-(4,4-Difluoro-5-phenyl-3a,4a-diaza-4-bora-s-indacen-3-yl)propionylamino)propylazide

Solubility: good in DMF, DMSO, DCM

Quality control: NMR <sup>1</sup>H, HPLC-MS (95%)

Storage conditions: Storage: 24 months after receival at -20°C in the dark. Transportation: at room temperature for up

to 3 weeks. Avoid prolonged exposure to light. Desiccate.

Legal statement: This Product is offered and sold for research purposes only. It has not been tested for safety and

efficacy in food, drug, medical device, cosmetic, commercial or any other use. Supply does not express or imply authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, in the manufacture of food or pharmaceutical products, in medical devices or

in cosmetic products.

## Spectral properties

Excitation/absorption maximum, nm:

530

Emission maximum,

548

nm:

Fluorescence quantum 0.96

yield:

 $CF_{260}$ : 0.17  $CF_{280}$ : 0.18

BDP® is a trademark of Lumiprobe