

## **Lumiprobe Corporation**

115 Airport Dr Suite 160 Westminster, Maryland 21157

**USA** 

Phone: +1 888 973 6353 Fax: +1 888 973 6354 Email: order@lumiprobe.com


## Cyanine3 azide

http://www.lumiprobe.com/p/cy3-azide


Cyanine3 dye azide for <u>click chemistry</u>, an analog of Cy3® azide. Cy3® is one of the most broadly used fluorophores which can be detected by various fluorometers, imagers, and microscopes. Due to inherently high extinction coefficient, Cyanine3 is also easily detected by naked eye on gels, and in solution. This is non-sulfonated dye which requires organic co-solvent (DMF, DMSO, or other) for efficient labeling in water. Water-soluble version of this reagent is also <u>available</u>.

Product is available both as solid compound, and as 10 mM solution in DMSO which is ready to use in our recommended protocol.

Cyanine3 fluorescent properties are identical to Cy3®, and similar to DyLight 549.



Structure of Cyanine3 azide



Cyanine3 absorbance and emission spectra

## **General properties**

Appearance: dark green solid or red solution

Molecular weight: 575.19

CAS number: 1167421-28-4 (chloride)

Molecular formula: C<sub>33</sub>H<sub>43</sub>N<sub>6</sub>OCI

Solubility: soluble in organic solvents (DMF, DMSO, dichloromethane), practically insoluble in

water (40 mg/L = 60 uM)

Quality control: NMR <sup>1</sup>H and HPLC-MS (95%)

Storage conditions: Storage: 24 months after receival at -20°C in the dark. Transportation: at room

temperature for up to 3 weeks. Avoid prolonged exposure to light. Desiccate.

Legal statement: This Product is offered and sold for research purposes only. It has not been tested for

safety and efficacy in food, drug, medical device, cosmetic, commercial or any other use. Supply does not express or imply authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, in the manufacture of food

or pharmaceutical products, in medical devices or in cosmetic products.

## **Spectral properties**

Excitation/absorption maximum, nm: 555  $\epsilon$ , L·mol $^{-1}$ ·cm $^{-1}$ : 150000 Emission maximum, nm: 570 Fluorescence quantum yield: 0.31  $CF_{260}$ : 0.04  $CF_{280}$ : 0.09

