

## **Lumiprobe Corporation**

115 Airport Dr Suite 160 Westminster, Maryland 21157

USA

Phone: +1 888 973 6353 Fax: +1 888 973 6354 Email: order@lumiprobe.com

## Pyrenebutyric acid NHS ester


http://www.lumiprobe.com/p/pyrene-nhs-ester

Pyrene is a polyaromatic hydrocarbon which exhibits fluorescence in blue range of the spectrum. When two pyrene residues are closely spaced, excimer fluorescence is observed at longer wavelength. Therefore, pyrene is useful as a proximity label.


Pyrene exhibits affinity to graphite, and can be used as an anchor group for graphite. This reagent can be conjugated with biomolecules for their subsequent immobilization on graphite surfaces.

This NHS ester allows to label biomolecules with amino groups, such as proteins, peptides, amino-DNA and other molecules.

Pyrene is also a FRET donor for perylene.



Structure of Pyrenebutyric acid NHS ester



Absorption and emission spectra of pyrene fluorophore

## **General properties**

Appearance: off-white solid

 $\begin{array}{lll} \text{Mass spec M+ increment:} & 270.1 \\ \text{Molecular weight:} & 385.41 \\ \text{CAS number:} & 114932\text{-}60\text{-}4 \\ \text{Molecular formula:} & \text{$C_{24}$H}_{19}\text{NO}_4 \\ \end{array}$ 

IUPAC name: 1-Pyrenebutanoic acid, 2,5-dioxo-1-pyrrolidinyl ester

Solubility: good in DCM, chloroform, moderate in DMF, DMSO, low in water

Quality control: NMR <sup>1</sup>H, HPLC-MS (95%)

Storage conditions: Storage: 12 months after receival at -20°C in the dark. Transportation: at room

temperature for up to 3 weeks. Avoid prolonged exposure to light. Desiccate.

Legal statement: This Product is offered and sold for research purposes only. It has not been tested for

safety and efficacy in food, drug, medical device, cosmetic, commercial or any other use. Supply does not express or imply authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, in the manufacture of food

or pharmaceutical products, in medical devices or in cosmetic products.

## **Spectral properties**

Excitation/absorption maximum, nm: 343; 326; 313; 276; 265; 242; 234

Emission maximum, nm: 377; 397