


BDP® TMR amine

http://www.lumiprobe.com/p/bdp-tmr-amine

BDP TMR is a dye for TAMRA channel. Unlike original TAMRA, it however possesses very good quantum yield, and therefore high brightness.

This derivative contains a primary amine group that can be conjugated with various electrophiles. It can also participate in enzymatic transamination reaction.



F^B_F^N_F

Н

BODIPY TMR amine structure

Absorption and emission spectra of BDP TMR

violet solid
532.86
2183473-08-5 (free base)
$C_{27}H_{36}BCIF_2N_4O_2$
1,3-dimethyl-2(6-aminohexylaminocarbonyl)-4,4-difluoro-5-(4-methoxyphenyl)borondipyrromethene
good in alcohols, DMF, DMSO
NMR ¹ H, HPLC-MS (95%)
Storage: 24 months after receival at -20°C in the dark. Transportation: at room temperature for up to 3 weeks. Avoid prolonged exposure to light. Desiccate.
This Product is offered and sold for research purposes only. It has not been tested for safety and efficacy in food, drug, medical device, cosmetic, commercial or any other use. Supply does not express or imply authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, in the manufacture of food or pharmaceutical products, in medical devices or in cosmetic products.

Spectral properties

542
55000
574
0.64
0.16
0.16

 $\mathsf{BDP}^{\circledast}$ is a trademark of Lumiprobe