



## **BDP® TR-X-NHS ester**

http://www.lumiprobe.com/p/bdp-tr-x-nhs-ester

BDP TR is a borondipyrromethene dye with absorption and emission wavelengths close to ROX dye. The fluorophore is bright, moderately hydrophobic, and has low molecular weight. An extra linker based on aminocaproic acid (C6) provides better separation between the dye and the biomolecule.

The NHS ester function can be used to conjugate with proteins, peptides, and other molecules possessing the amine groups.





Structure of BDP TR-X-NHS ester

Absorption and emission spectra of BDP TR

General properties	
Appearance:	dark colored solid
Mass spec M+ increment:	519.2
Molecular weight:	634.46
CAS number:	197306-80-2
Molecular formula:	$C_{31}H_{29}N_4BF_2O_6S$
Solubility:	good in DMF, DMSO, DCM
Quality control:	NMR <sup>1</sup> H, HPLC-MS (95%)
Storage conditions:	Storage: 12 months after receival at -20°C in the dark. Transportation: at room temperature for up to 3 weeks. Avoid prolonged exposure to light. Desiccate.
Legal statement:	This Product is offered and sold for research purposes only. It has not been tested for safety and efficacy in food, drug, medical device, cosmetic, commercial or any other use. Supply does not express or imply authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, in the manufacture of food or pharmaceutical products, in medical devices or in cosmetic products.

## **Spectral properties**

Excitation/absorption maximum, nm:	589
ε, L·mol <sup>-1</sup> ·cm <sup>-1</sup> :	60000
Emission maximum, nm:	616
Fluorescence quantum yield:	0.9
CF <sub>260</sub> :	0.15
CF <sub>280</sub> :	0.19

BDP® is a trademark of Lumiprobe