

Lumiprobe Corporation

115 Airport Dr Suite 160 Westminster, Maryland 21157

USA

Phone: +1 888 973 6353 Fax: +1 888 973 6354 Email: order@lumiprobe.com


CM-Dil, lipophilic tracer


http://www.lumiprobe.com/p/celltracker-cm-di-i-tracer


CM-Dil is an orange-red fluorescent carbocyanine dye containing thiol-reactive chloromethyl (CM) moiety. CM-Dil labels plasma membranes by inserting its two long hydrocarbon (C18 carbon) chains into the lipid bilayer. The dye is weakly fluorescent until incorporated into membranes.

CM-Dil is used for *in vivo* and *in vitro* labeling of cells to analyze their proliferation as well as for cell tracking and motility assays. The dye is transferred to daughter cells and does not leak to adjacent cells in a population. CM-Dil staining displays bright fluorescence for at least 72 hours (around three to six cell generations). The dye shows little cytotoxicity inside the cell, with minimal effects on the proliferative ability or biology of the cell.

Unlike other membrane dyes, CM-Dil has increased water solubility and can be fixed using traditional aldehyde fixatives. CM-Dil also persists in cells after permeabilization procedures. These make it feasible to detect labeled cells in combination with other histological techniques such as immunochemistry, optical clearing, etc.







Absorption and emission spectra of CM-Dil

General properties

Appearance: red powder Molecular weight: 1142.96 CAS number: 180854-97-1 Molecular formula: $C_{68}H_{105}CIIN_3O$

Solubility: in DMSO, DMF, ethanol

Quality control: NMR ¹H and HPLC-MS (95+%)

Storage conditions: 24 months after receival at -20°C in the dark. Transportation: at room temperature

for up to 3 weeks. Desiccate.

Legal statement: Product is offered and sold for research purposes only. Product is not tested for safety

and efficacy in food, drug, medical device, cosmetic, no express or implied authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, for humans or animals or for commercial purposes.

Spectral properties

Excitation/absorption maximum, nm: 556 ϵ , L·mol⁻¹·cm⁻¹: 129500 Emission maximum, nm: 571

Fluorescence quantum yield:

0.16