


DBCO-Serinol phosphoramidite

<http://www.lumiprobe.com/p/dbco-serinol-phosphoramidite>

Incorporation of DBCO-Serinol at a defined position within the oligonucleotide chain yields a reactive alkyne group ready for highly selective, bioorthogonal conjugation with azide-bearing molecules via strain-promoted azide-alkyne cycloaddition (SPAAC). Because this reaction does not require copper catalysts, it can be performed under mild conditions, including in the presence of living cells or sensitive biomacromolecules.

The modified oligonucleotides can be conjugated with fluorophores, biotin, peptides, polymers, nanoparticles, and other partners. This enables the preparation of probes for hybridization-based assays (FISH, microarrays), aptamers, delivery conjugates, and DNA nanostructures.

During synthesis, it is important to replace the standard iodine oxidation with an alternative oxidizer (CSO), as the DBCO group is sensitive to iodine; otherwise, the reagent is compatible with standard solid-phase synthesis protocols and subsequent purification by HPLC or PAGE.



Structure of DBCO-Serinol phosphoramidite

General properties

Appearance: beige powder

Molecular weight: 909.08

Molecular formula: C₅₄H₆₁N₄O₇P

Solubility: acetonitrile, dichloromethane, DMSO, DMF

Quality control: NMR ¹H and ³¹P, (95 %+), HPLC-MS (90 %)

Storage conditions: 12 months after receipt at -20°C in the dark. Transportation: at room temperature for up to 3 weeks. Avoid prolonged exposure to light. Desiccate.

Legal statement: This Product is offered and sold for research purposes only. It has not been tested for safety and efficacy in food, drug, medical device, cosmetic, commercial or any other use. Supply does not express or imply authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, in the manufacture of food or pharmaceutical products, in medical devices or in cosmetic products.