


DMS(O)MT aminolink C6

Aminolink phosphoramidite for oligonucleotide synthesis. DMS(O)MT is a special protective group similar to traditional MMT, but designed as an improved alternative to it. DMS(O)MT aminolink is fully compatible with standard coupling, deblock, and purification protocols. However, DMS(O)MT group is much better suited for DMT-on and cartridge purification of amino-oligonucleotides because of higher stability, and better oligonucleotide recovery. Oligonucleotides containing DMS(O)MT are more stable in solution than MMT analogs.

In case of cartridge purification, DMS(O)MT protection allows for 2-3 fold increase of oligonucleotide yield, making this reagent a unique solution for high-throughput manufacturing of amino-oligonucleotides.



DMS(O)MT aminolink C6 structure

General properties

Appearance:	yellowish viscous oil
Molecular weight:	681.86
CAS number:	1173109-53-9
Molecular formula:	C ₃₇ H ₅₂ N ₃ O ₅ PS
Solubility:	soluble in acetonitrile, dichloromethane
Quality control:	NMR ¹ H, ³¹ P, HPLC (95%)
Storage conditions:	Storage: 12 months after receipt at -20°C in the dark. Transportation: at room temperature for up to 3 weeks.
TN VED Code:	3822000000

Oligo synthesis details

Coupling conditions:	standard coupling, identical to normal nucleobases
Cleavage conditions:	ammonia, 2 h at room temperature; if an oligonucleotide with trityl group needs to be evaporated, add small amount of Tris base before it, or trityl group can be lost.
Deprotection conditions:	identical to protected nucleobases. Trityl group can be removed by acidic cleavage in either 80% acetic acid, or on C ₁₈ cartridge during purification using 2% to 4% trifluoroacetic acid.