

## **Lumiprobe Corporation**

Phone: +1 888 973 6353

115 Airport Dr Suite 160 Westminster, Maryland 21157

USA

Fax: +1 888 973 6354 Email: order@lumiprobe.com


## **DBCO-maleimide**

http://www.lumiprobe.com/p/n-glutaroyl-dbco-maleimide

DBCO-maleimide is a bifunctional linker containing a maleimide group and a DBCO (Dibenzocyclooctyne, ADIBO) moiety.

The maleimide group specifically and efficiently reacts with thiols to form thioether bonds. The low mass weight adds minimal spacer to modified molecules and enables the simple and efficient incorporation of the DBCO moiety into cysteine-containing peptides or other thiol-containing biomolecules.

DBCO is one of the most reactive cycloalkynes for strain-promoted alkyne azide cycloaddition (SPAAC). DBCO reacts instantly with azides without needing a Cu(I) catalyst, resulting in a stable triazole linkage. The reaction rate is much higher than that of copper-catalyzed reaction, and reactions with many other cyclooctynes. Unlike other cyclooctynes, DBCO does not react with tetrazines — this allows to carry out orthogonal conjugation of azides with DBCO and trans-cyclooctenes with tetrazines.



## Structure of DBCO-maleimide

## **General properties**

Appearance: white solid Molecular weight: 441.49 Molecular formula:  $C_{26}H_{23}N_3O_4$ 

Solubility: methylene, DMSO, DMF, acetonitrile

Quality control: NMR <sup>1</sup>H and HPLC-MS (95+%)

Storage conditions: 12 months after receival at -20°C in the dark. Transportation: at room temperature for up to 3 weeks.

Desiccate.

Legal statement: This Product is offered and sold for research purposes only. It has not been tested for safety and

efficacy in food, drug, medical device, cosmetic, commercial or any other use. Supply does not express or imply authorization to use for any other purpose, including, without limitation, in vitro diagnostic purposes, in the manufacture of food or pharmaceutical products, in medical devices or in cosmetic

products.